



REFERENCES FOR BEST 10 PAPER TALK

Dr Ian Civil

1. Cole E, Lecky F, West A, Smith N, Brohi K, Davenport R. The impact of a pan-regional inclusive trauma system on quality of care. *Ann Surg* 2016;264:188–194
2. Pieracci FM, Lin Y, Rodil M, Sneider M, Herbert B et al. A prospective controlled clinical evaluation of surgical stabilisation of severe rib fractures. *J Acute Care Surg* 2016;80:187–194
3. Russo RM, Williams TK, Grayson JK, Lamb CM, Cannon JW et al. Extending the golden hour: Partial resuscitative endovascular balloon occlusion of the aorta in a highly lethal swine liver injury model. *J Trauma Acute Care Surg.* 2016;80: 372–380
4. Gabbe BJ, Simpson PM, Harrison JE, Lyons RA, Ameratunga S et al. Return to work and functional outcomes after major trauma: Who recovers, when and how well? *Ann Surg* 2016;263:623-632
5. Moore HB, Moore EE, Liras IN, Gonzalez E, Harvin JA et al. Acute fibrinolysis shutdown after injury occurs frequently and increases mortality: A multicentre evaluation of 2540 severely injured patients. *JACS* 2016;222:347-356
6. Gonzales E, Moore EE, Moore HB, Chapman MP, Chin TL et al. Goal directed resuscitation of trauma-induced coagulopathy: A pragmatic randomised clinical trial comparing a viscoelastic assay to conventional coagulation assays. *JACS* 2016;222:347-356
7. Hammer PM, Storey AC, Bell T, Bayt D, Hockaday MS et al. Improving geriatric trauma care: A small step toward a big problem. *J Trauma Acute Care Surg* 2016;81:162-167
8. Sierink JS, Treskes K, Edwards MJR, Beuker MJA, den Hartog D et al. Immediate total body CT scanning versus conventional imaging and selective CT scanning in patients with severe trauma (REACT-2): A randomised controlled trial. *Lancet* 2016; 388: 673–83
9. Dennis BM, Vella MA, Gunter OL, Smith MD, Wilson CS, Patel MB et al. Rural trauma team development course decreases time to transfer for trauma patients. *J Trauma Acute Care Surg* 2016;81:632-637
10. Sokol KK, Black GE, Willey SB, Song MY, Marko ST et al. Preperitoneal balloon tamponade for lethal closed retroperitoneal pelvic haemorrhage in a swine model: A comparable and

minimally invasive alternative to open pre-peritoneal pelvic packing. *J Trauma Acute Care Surg*. 2016;81: 1046–1055

BEST TRAUMA PAPERS

Dr John Kortbeek

1. The global burden of injury: incidence, mortality, disability-adjusted life years and time trends from the Global Burden of Disease study 2013. Haagsma JA, Graetz N, Bolliger I, et al. *Inj Prev* (England), Feb 2016, 22(1) p3-18
2. Factors affecting mortality in older trauma patients—A systematic review and meta-analysis Ian Sammy*, Fiona Lecky, Anthea Sutton, Joanna Leaviss, Alicia O’Cathain *Injury, Int. J. Care Injured* 47 (2016) 1170–1183
3. Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 192 million participants. *Lancet* (England), Apr 02 2016, 387(10026) p1377-96
4. Computed tomography in hemodynamically unstable severely injured blunt and penetrating trauma patients Odonez, Carlos A et al, *J Trauma Acute Care Surg* Volume 80, Number 4, 2016, 597- 604
5. Idarucizumab for Dabigatran Reversal. Pollack CV, Reilly PA, Eikelboom J, et al. *N Engl J Med* (United States), Aug 06 2015, 373(6) p511-20
6. Intraosseous infusion rates under high pressure: a cadaveric comparison of anatomic sites. Pasley J, Miller CH, Du Bose JJ, et al. *J Trauma Acute Care Surg* (United States), Feb 2015, 78(2) p295-9
7. What is the evidence of utility for intraosseous blood transfusion in damage-control resuscitation? Harris M, Balog R, Devries G *J Trauma Acute Care Surg* (United States), Nov 2013, 75(5) p904-6
8. First in vivo traumatic brain injury imaging via magnetic particle imaging [epub ahead of print] Orendorff R, Peck AJ, Zheng B, et al. *Phys Med Biol* (England), Apr 05 2017, 62(9) p3501-3509
9. Predicting Fluid Responsiveness Using Bedside Ultrasound Measurements of the Inferior Vena Cava and Physician Gestalt in the Emergency Department of an Urban Public Hospital in Sub-Saharan Africa. Sawe HR, Haeffele C, Mfinanga JA, et al. *PLoS One* (United States), 2016, 11(9) pe0162772
10. No Benefit to Surgical Fixation of Flail Chest Injuries Compared with Modern Comprehensive Management: Results of a Prospective Cohort Study Farquhar J, Almarhabi Y, Slobogean G, et al. *Can J Surg* 2016;5:299–303
11. To nearly come full circle: Nonoperative management of high-grade IV-V blunt splenic trauma is safe utilizing a protocol with routine angioembolization [epub ahead

of print] Bhullar IS, Tepas JJ, Siragusa D, et al J Trauma Acute Care Surg (United States), 82(4) April, 2017:657-664

12. Dolejs SC, Savage SA, Hartwell JL, et al. Overall Splenectomy Rates Stable Despite Increasing Usage of Angiography in the Management of High-grade Blunt Splenic Injury [epub ahead of print] Ann Surg (United States), Mar 27 2017
13. A systematic review of the use of resuscitative endovascular balloon occlusion of the aorta in the management of hemorrhagic shock, Morrison J.J. et al, J Trauma Acute Care Surg, Volume 80, Number 2, 325-334